## **Declaration of Conformity**

## 2014/35/EU LOW VOLTAGE DIRECTIVE 2014/30/EU ELECTROMAGNETIC COMPATIBILITY

This is hereby declared that following designated product complied with the essential health and safety requirements of above Council Directive(s) on the approximation of the laws of the Member States relating to it.

## Designation:

Electronic frequency converter GD350-1R5G-4-UL, GD350-2R2G-4-UL, GD350-004G/5R5P-4-UL, GD350-5R5G/7R5P-4-UL, GD350-7R5G/011P-4-UL, GD350-011G/015P-4-UL, GD350-015G/018P-4-UL, GD350-018G/022P-4-UL

IP protection class: IP20

The following Standards and other technical specifications have been used:

EN61800-5-1:2007/A1:2017 EN 61800-3:2004/A1:2012

This declaration is the responsibility of the Manufacturer:
Shenzhen INVT Electric Co., Ltd.
INVT Guangming Technology Building, Kejie Fourth Road, Shutianpu Community, Matian, Guangming District, Shenzhen, China, 518106

This declaration applies to all specimens manufactured identical to the model submitted for testing/ evaluation. Assessment of compliance of the product with the requirements relating to safety standards listed above was performed by manufacturer.

SIGNED ON BEHALF OF: Shenzhen INVT Electric Co., Ltd.

SIGNATURE	重码为
POST	Technical Director
DATE:	2020.3.18

Model No.	Rated Input	Rated Output
GD350-1R5G-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,5.0A	3.7A, 1.5kW
GD350-2R2G-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,5.8A	5.0A, 12.2kW
GD350-004G/5R5P-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,13.5/19.5A	14.0/18.5A, 4/5.5kW
GD350-5R5G/7R5P -4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,19.5/25.0A	14.0/18.5A, 5.5/7.5kW
GD350-7R5G/011P -4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,25.0/32.0A	18.5/25.0A, 7.5/11.0kW
GD350-011G/015P-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,32.0/40.0A	25.0/32.0A, 11/15kW
GD350-015G/018P-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,40.0/47.0A	32.0/38.0A, 15/18kW
GD350-018G/022P-4-UL	3PH, 380-480Vac,	3PH, 0V-Uinput, 0-400Hz,
	50/60Hz,47.0/56.0A	38.0/45.0A, 18/22kW